

Certificate of Compliance

Certificate Number:

UL-US-L349195-21-
92808102-3

Report Reference:

E349195-20180829

Issue Date:

2025-04-15

Issued to:

WOONYOUNG CO LTD

2122-20 Cheonan-daero Seonghwan-eup Seobuk-gu, Cheonan-si, Chungcheongnam-do, 331-804, KR

This certificate confirms that representative samples of:

XPTQ2 - Transformers, General Purpose - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 5085-2, 2nd Ed., Issue Date: 2021-08-16, UL 5085-1, Edition 1, Issue Date 2006-04-17, Revision Date 2022-06-02

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L349195-21-92808102-3
Report reference E349195-20180829
Date 2025-04-15

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

General Purpose Transformer

Model(s): WY3P, : WY3P, followed by 42 or 24D, followed by -500, -1K, -1.5K, -2K, -3K, -5K, -7.5K, -10K, -15K, or -20K, -30K, -40K, -50K, -75K, -100K, -112.5K, -125K, -150K, -175K, -200K, -225K, -275K, -300K or -325K, followed by UL.



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.