



Ref. Certif. No.

DK-139335-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

SMPS

Name and address of the applicant

WOONYOUNG CO LTD
2122-20 Cheonan-daero Seonghwan-eup Seobuk-gu Cheonan-si,
Chungcheongnam-do, 331-804
Republic of Korea

Name and address of the manufacturer

WOONYOUNG CO LTD
2122-20 Cheonan-daero Seonghwan-eup Seobuk-gu Cheonan-si,
Chungcheongnam-do, 331-804
Republic of Korea

Name and address of the factory

WOONYOUNG CO LTD
2122-20 CHEONAN-DAERO SEONGHWAN-EUP SEOBUK-GU, CHEONAN-
SI, CHUNGCHEONGNAMDO 331-804
Korea, Republic of

Note: When more than one factory, please report on page 2

Additional Information on page 2

Ratings and principal characteristics

Input: 100-240 V~, 50/60 Hz, 1.5 A

Additional Information on page 2

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

WYSP-75S12D, WYSP-100S12D, WYSP-75S24D, WYSP-100S24D, WYSP-75S48D

Additional Information on page 2

Additional information (if necessary may also be reported on page 2)

Additionally evaluated to: EN IEC 62368-1:2020, EN IEC 62368-1:2020/A11:2020

National Differences specified in the CB Test Report.

Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 62368-1:2018

As shown in the Test Report Ref. No. which forms part of this Certificate

E528226-S23O-006-1 issued on 2023-03-06

This CB Test Certificate is issued by the National Certification Body



- UL Solutions (US), 333 Pflugsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2023-03-29

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

DK-139335-UL

Additional Model Detail(s): WYSP-100S48D

Additional Ratings:

Output:

WYSP-75S12D: 12VDC 6.3A, WYSP-100S12D: 12VDC 8A
WYSP-75S24D: 24VDC 3.2A, WYSP-100S24D: 24VDC 4.2A
WYSP-75S48D: 48VDC 1.6A, WYSP-100S48D: 48VDC 2.1A

Additional information (if necessary)



- UL Solutions (US), 333 Pflingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2023-03-29

Signature:

Jan-Erik Storgaard