




## Attestation of Conformity

according to Low Voltage directive (2014/35/EU)

Certificate No.  
**CA20P3089**

<i>Owner of Certificate</i>	<b>WOONYOUNG Co., Ltd.</b> 2122-20, Cheonan-daero, Seonghwan-eup, Seobuk-gu, Cheonan-si, Chungcheongnam-do, 31022, Korea
<i>Manufacturer</i>	<b>WOONYOUNG Co., Ltd.</b> 2122-20, Cheonan-daero, Seonghwan-eup, Seobuk-gu, Cheonan-si, Chungcheongnam-do, 31022, Korea
<i>Trade Mark</i>	
<i>Product</i>	NOISE FILTER
<i>Type/Model</i>	WYFTH05T1A, WYFTH10T1A, WYFTH15T1A, WYFTH20T1A, WYFTH30T1A, WYFTH05T1B, WYFTH10T1B, WYFTH15T1B, WYFTH20T1B, WYFTH30T1B, WYFTH05T1AD, WYFTH10T1AD, WYFTH15T1AD, WYFTH20T1AD, WYFTH30T1AD, WYFTH05T1BD, WYFTH10T1BD, WYFTH15T1BD, WYFTH20T1BD, WYFTH30T1BD, WYNFTH05T1A, WYNFTH10T1A, WYNFTH15T1A, WYNFTH20T1A, WYNFTH30T1A, WYNFTH05T1AD, WYNFTH10T1AD, WYNFTH15T1AD, WYNFTH20T1AD, WYNFTH30T1AD
<i>Reference Document</i>	Test report (No. SR-20-0384, rev.0 dated on 06-10-2020) According to EN 60939-1:2010 & EN 60939-2:2005

The product described above complies with the requirements of the Low Voltage Directive (2014/35/EU). The details about the product conformity and applied standards are mentioned in the test report referenced above. This certificate is subject to Kiwa Korea Ltd. regulations and it is valid only for the above mentioned electrical product. This Certificate, different from an EC Certificate, counts as Attestation of conformity to be used by first part.

<i>Issue date</i>	15-10-2020
<i>Last revised date</i>	N/A
<i>Expiry date</i>	N/A
<i>Revision</i>	0

*Kiwa Korea Lead Auditor*

*Kiwa Korea General Manager*

**Kiwa Korea Ltd.**

411, SJ Technoville, 278, Beotkkot-ro, Gumcheon-gu, Seoul, Korea

Tel: +82.2.3397.0101, Fax :+ 82.2.3397.0105

E-mail: info@kiwa.kr, Web: www.kiwa.kr



The CE marking may be used if all relevant and effective EC directives are complied with.



## Attestation of Conformity

according to Low Voltage directive (2014/35/EU)

Certificate No.  
CA20P3089

※ Model difference table (1)

Model name	Power rating	Fixing type
WYFTH05T1A	500 V 3~ 50/60 Hz, 5 A	Bolt
WYFTH10T1A	500 V 3~ 50/60 Hz, 10 A	Bolt
WYFTH15T1A	500 V 3~ 50/60 Hz, 15 A	Bolt
WYFTH20T1A	500 V 3~ 50/60 Hz, 20 A	Bolt
WYFTH30T1A	500 V 3~ 50/60 Hz, 30 A	Bolt
WYFTH05T1B	500 V 3~ 50/60 Hz, 5 A	Bolt
WYFTH10T1B	500 V 3~ 50/60 Hz, 10 A	Bolt
WYFTH15T1B	500 V 3~ 50/60 Hz, 15 A	Bolt
WYFTH20T1B	500 V 3~ 50/60 Hz, 20 A	Bolt
WYFTH30T1B	500 V 3~ 50/60 Hz, 30 A	Bolt
WYFTH05T1AD	500 V 3~ 50/60 Hz, 5 A	DIN rail
WYFTH10T1AD	500 V 3~ 50/60 Hz, 10 A	DIN rail
WYFTH15T1AD	500 V 3~ 50/60 Hz, 15 A	DIN rail
WYFTH20T1AD	500 V 3~ 50/60 Hz, 20 A	DIN rail
WYFTH30T1AD	500 V 3~ 50/60 Hz, 30 A	DIN rail
WYFTH05T1BD	500 V 3~ 50/60 Hz, 5 A	DIN rail
WYFTH10T1BD	500 V 3~ 50/60 Hz, 10 A	DIN rail
WYFTH15T1BD	500 V 3~ 50/60 Hz, 15 A	DIN rail
WYFTH20T1BD	500 V 3~ 50/60 Hz, 20 A	DIN rail
WYFTH30T1BD	500 V 3~ 50/60 Hz, 30 A	DIN rail
WYNFTH05T1A	500 V 3~ 50/60 Hz, 5 A	Bolt
WYNFTH10T1A	500 V 3~ 50/60 Hz, 10 A	Bolt
WYNFTH15T1A	500 V 3~ 50/60 Hz, 15 A	Bolt
WYNFTH20T1A	500 V 3~ 50/60 Hz, 20 A	Bolt
WYNFTH30T1A	500 V 3~ 50/60 Hz, 30 A	Bolt

**Kiwa Korea Ltd.**

411, SJ Technoville, 278, Beotkkot-ro, Gumcheon-gu, Seoul, Korea

Tel: +82.2.3397.0101, Fax :+ 82.2.3397.0105

E-mail: info@kiwa.kr, Web: www.kiwa.kr



The CE marking may be used if all relevant and effective EC directives are complied with.



## Attestation of Conformity

according to Low Voltage directive (2014/35/EU)

Certificate No.  
**CA20P3089**

※ Model difference table (2)

Model name	Power rating	Fixing type
WYNFTH05T1AD	500 V 3~ 50/60 Hz, 5 A	DIN rail
WYNFTH10T1AD	500 V 3~ 50/60 Hz, 10 A	DIN rail
WYNFTH15T1AD	500 V 3~ 50/60 Hz, 15 A	DIN rail
WYNFTH20T1AD	500 V 3~ 50/60 Hz, 20 A	DIN rail
WYNFTH30T1AD	500 V 3~ 50/60 Hz, 30 A	DIN rail

※ These noise filters employ Class B (130 °C) insulation system.

※ These noise filters were suitable for use in a maximum air ambient of 50 °C

**Kiwa Korea Ltd.**

411, SJ Technoville, 278, Beotkkot-ro, Gumcheon-gu, Seoul, Korea

Tel: +82.2.3397.0101, Fax :+ 82.2.3397.0105

E-mail: info@kiwa.kr, Web: www.kiwa.kr



The CE marking may be used if all relevant and effective EC directives are complied with.