




Attestation of Conformity

according to Low Voltage directive (2014/35/EU)

Certificate No.
CA20P3088

<i>Owner of Certificate</i>	WOONYOUNG Co., Ltd. 2122-20, Cheonan-daero, Seonghwan-eup, Seobuk-gu, Cheonan-si, Chungcheongnam-do, 31022, Korea
<i>Manufacturer</i>	WOONYOUNG Co., Ltd. 2122-20, Cheonan-daero, Seonghwan-eup, Seobuk-gu, Cheonan-si, Chungcheongnam-do, 31022, Korea
<i>Trade Mark</i>	
<i>Product</i>	NOISE FILTER
<i>Type/Model</i>	WYFT05T1A, WYFT10T1A, WYFT15T1A, WYFT20T1A, WYFT30T1A, WYFT05T1B, WYFT10T1B, WYFT15T1B, WYFT20T1B, WYFT30T1B, WYFT05T1AD, WYFT10T1AD, WYFT15T1AD, WYFT20T1AD, WYFT30T1AD, WYFT05T1BD, WYFT10T1BD, WYFT15T1BD, WYFT20T1BD, WYFT30T1BD, WYNFT05T1A, WYNFT10T1A, WYNFT15T1A, WYNFT20T1A, WYNFT30T1A, WYNFT05T1AD, WYNFT10T1AD, WYNFT15T1AD, WYNFT20T1AD, WYNFT30T1AD
<i>Reference Document</i>	Test report (No. SR-20-0383, rev.0 dated on 06-10-2020) According to EN 60939-1:2010 & EN 60939-2:2005

The product described above complies with the requirements of the Low Voltage Directive (2014/35/EU). The details about the product conformity and applied standards are mentioned in the test report referenced above. This certificate is subject to Kiwa Korea Ltd. regulations and it is valid only for the above mentioned electrical product. This Certificate, different from an EC Certificate, counts as Attestation of conformity to be used by first part.

<i>Issue date</i>	15-10-2020
<i>Last revised date</i>	N/A
<i>Expiry date</i>	N/A
<i>Revision</i>	0

Kiwa Korea Lead Auditor



Kiwa Korea General Manager



Kiwa Korea Ltd.

411, SJ Technoville, 278, Beotkkot-ro, Gumcheon-gu, Seoul, Korea

Tel: +82.2.3397.0101, Fax :+ 82.2.3397.0105

E-mail: info@kiwa.kr, Web: www.kiwa.kr



The CE marking may be used if all relevant and effective EC directives are complied with.



Attestation of Conformity

according to Low Voltage directive (2014/35/EU)

Certificate No.
CA20P3088

※ Model difference table (1)

Model name	Power rating	Fixing type
WYFT05T1A	250 V 3~ 50/60 Hz, 5 A	Bolt
WYFT10T1A	250 V 3~ 50/60 Hz, 10 A	Bolt
WYFT15T1A	250 V 3~ 50/60 Hz, 15 A	Bolt
WYFT20T1A	250 V 3~ 50/60 Hz, 20 A	Bolt
WYFT30T1A	250 V 3~ 50/60 Hz, 30 A	Bolt
WYFT05T1B	250 V 3~ 50/60 Hz, 5 A	Bolt
WYFT10T1B	250 V 3~ 50/60 Hz, 10 A	Bolt
WYFT15T1B	250 V 3~ 50/60 Hz, 15 A	Bolt
WYFT20T1B	250 V 3~ 50/60 Hz, 20 A	Bolt
WYFT30T1B	250 V 3~ 50/60 Hz, 30 A	Bolt
WYFT05T1AD	250 V 3~ 50/60 Hz, 5 A	DIN rail
WYFT10T1AD	250 V 3~ 50/60 Hz, 10 A	DIN rail
WYFT15T1AD	250 V 3~ 50/60 Hz, 15 A	DIN rail
WYFT20T1AD	250 V 3~ 50/60 Hz, 20 A	DIN rail
WYFT30T1AD	250 V 3~ 50/60 Hz, 30 A	DIN rail
WYFT05T1BD	250 V 3~ 50/60 Hz, 5 A	DIN rail
WYFT10T1BD	250 V 3~ 50/60 Hz, 10 A	DIN rail
WYFT15T1BD	250 V 3~ 50/60 Hz, 15 A	DIN rail
WYFT20T1BD	250 V 3~ 50/60 Hz, 20 A	DIN rail
WYFT30T1BD	250 V 3~ 50/60 Hz, 30 A	DIN rail
WYNFT05T1A	250 V 3~ 50/60 Hz, 5 A	Bolt
WYNFT10T1A	250 V 3~ 50/60 Hz, 10 A	Bolt
WYNFT15T1A	250 V 3~ 50/60 Hz, 15 A	Bolt
WYNFT20T1A	250 V 3~ 50/60 Hz, 20 A	Bolt
WYNFT30T1A	250 V 3~ 50/60 Hz, 30 A	Bolt

Kiwa Korea Ltd.

411, SJ Technoville, 278, Beotkkot-ro, Gumcheon-gu, Seoul, Korea

Tel: +82.2.3397.0101, Fax :+ 82.2.3397.0105

E-mail: info@kiwa.kr, Web: www.kiwa.kr



The CE marking may be used if all relevant and effective EC directives are complied with.



Attestation of Conformity

according to Low Voltage directive (2014/35/EU)

Certificate No.
CA20P3088

※ Model difference table (2)

Model name	Power rating	Fixing type
WYNFT05T1AD	250 V 3~ 50/60 Hz, 5 A	DIN rail
WYNFT10T1AD	250 V 3~ 50/60 Hz, 10 A	DIN rail
WYNFT15T1AD	250 V 3~ 50/60 Hz, 15 A	DIN rail
WYNFT20T1AD	250 V 3~ 50/60 Hz, 20 A	DIN rail
WYNFT30T1AD	250 V 3~ 50/60 Hz, 30 A	DIN rail

※ These noise filters employ Class B (130 °C) insulation system.

※ These noise filters were suitable for use in a maximum air ambient of 50 °C

Kiwa Korea Ltd.

411, SJ Technoville, 278, Beotkkot-ro, Gumcheon-gu, Seoul, Korea

Tel: +82.2.3397.0101, Fax :+ 82.2.3397.0105

E-mail: info@kiwa.kr, Web: www.kiwa.kr



The CE marking may be used if all relevant and effective EC directives are complied with.